L.K. DISTRIBUTING INC. 201 SHEPHERD STREET EAST

WINDSOR ON N8X2K6

Section I. Product Identification and Uses

HMIS (HFRP)

Health Hazard1Fire Hazard0Reactivity1

Personal Protection r

Common / Trade name POT N PAN SUDS

TDG Not controlled under TDG (Canada).

D2B

PIN Not applicable.

Code 0614

PG Not applicable.

Material uses Industrial applications: Dish detergent.

Section II. Hazardous Ingredients

Name	CAS#	% by weight	TLV/PEL	LC50/LD50
Sodium carbonate	497-19-8	10 - 30	Not available.	ORAL (LD50): Acute: 2390 mg/kg [Rat]. DERMAL (LD50): Acute: > 2000 mg/kg [Rabbit].
Sodium dodecylbenzene sulfonate.	25155-30-0	7 - 13	Not available.	Acute toxicity: ORAL (LD50): 1080 mg/kg [Rat]; DERMAL (LD50): > 2000 mg/kg [Rabbit].
Sodium silicate	1344-09-8	7 - 13	Not available.	ORAL (LD50): Acute: 5800 mg/kg [Rat].
DIethanolamine	111-42-2	> 0.1%	TWA (8 hours): 1 mg/m3 (ACGIH).	ORAL (LD50): Acute: 710 mg/kg [Rat].

Section III. First Aid Measures

Eye IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. If irritation persists, seek medical attention.

contact

WHMIS

Skin Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. If irritation persists, seek medical attention.

contact

Inhalation Allow to rest in a well ventilated area.

Ingestion DO NOT induce vomiting. Have conscious person drink several glasses of water. Seek immediate medical attention. NEVER give an unconscious person

anything to ingest.

Section IV. Physical Data

Physical state and apperance Solid. Colour Pink pH (1% soln/water) 10.5 to 11 [Basic.] Odour Citrus. Not applicable. Volatility Not available. pH (concentrate) **Boiling point** Not available. Vapour density Not available. Specific gravity Weighted average: 1.4 (Water = 1) Vapour pressure Not applicable.

Solubility Easily soluble in cold water, hot water, methanol. Insoluble in diethyl ether, n-octanol.

Section V. Fire and Explosion Data

The product isNon-flammable.Auto-ignition temperatureNot applicable.Flash pointsNot applicable.

Degradation products Carbon oxides (CO, CO2), sulfur oxides (SO2, SO3...) and nitrogen oxides (NO, NO2...).

Extinguising media Use DRY chemicals, CO2, water spray or foam.

Section VI. Reactivity data

StabilityThe product is stable.Decomp. productsSee fire degradation products.

Reactivity Reactive with oxidizing materials, reducing materials and acids.

0614 POT N PAN SUDS 1/2

Section VII. Toxicological properties

Route Eye contact. Ingestion.

of entry

Toxicity Acute oral toxicity (LD50): > 2500 mg/kg [Rat].

for animals

Acute This product may irritate eyes upon contact. HARMFUL IF SWALLOWED.

effects

Chronic CARCINOGENIC EFFECTS: contains Diethanolamine, suspected human carcinogen (ACGIH A2). MUTAGENIC EFFECTS: Not available. TERATOGENIC

EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated inhalation of dust can produce varying degree of respiratory irritation.

Section VIII. Preventive measure

Waste Dispose of material according to regional, provincial and federal regulations. Consult your local or regional authorities.

disposal

Storage Store in a dry, cool and well ventilated area. Keep away from incompatibles.

Precautions Keep locked up. Keep container dry. DO NOT ingest. Do not breath dusts. Avoid contact with eyes and skin. Wear suitable protective clothing. If ingested,

seek medical advice immediately and show the container or the label. Keep out of reach of children.

Spill and

Put the spilled solid in a convenient waste disposal container. Dilute with water and mop up, or absorb with an inert DRY material.

leak

Section IX. Personal protective equipment

Gloves Gloves

Respiratory Wear appropriate respirator when ventilation is inadequate.

Eyes Splash goggles.

Other Full suit, apron, face shield, boots: are recommanded under exceptional circumstances such as fire, spill, or for prolonged contact with bulk quantities.

Eng. Provide exhaust ventilation or other engeneering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure

controls that eyewash stations and safety showers are proximal to the work-station location.

Section X. Preparation and other Information

Validated by the Regulatory Affairs Department on 19 Apr. 2016

EMERGENCY: CANUTEC 613-996-6666

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy of completeness of the information contained herein. Final determination of suitability of any material is the sole responsability of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Annex A. Legend

HMIS Hazardous Materials Identification System

WHMIS WHMIS Workplace Hazardous Materials Information System

TDG Transport Dangerous Goods
PIN Product Identification Number

PG Packaging Group

0614 POT N PAN SUDS 2 / 2